

Khadas.com



Khadas Brand


Founded in 2016, Khadas' journey began with a deep-seated passion for nurturing creativity. We take pride in our global reputation for delivering space-saving, easy-to-use, modular, and expandable products. We aim to allow our users to create bespoke digital experiences, enabling each of them to achieve their own unique dreams.

Our initial foray into the single-board computer (SBC) market proved to be just the beginning. Our offerings now range from high-end audio solutions to cutting-edge modular PCs.

Our portfolio includes:

- Mind Series: Ultra-compact modular PCs that can be customized with a full array of expansion modules, including but not limited to an eGPU and portable display.
- Maker Series: High-caliber SBCs recognized in the Maker community for delivering creativity-inspiring and cost-effective solutions across a range of industries and markets.
- Music Series: High-fidelity DACs and headphone amplifiers, known for their superior quality, sleek design, and revolutionary technology like Balanced RCA.

In addition to our thoughtfully designed hardware, Khadas enhances our user experience by providing continuous software updates and support for all our products.



Mind Family


Redefine Your Computing Essence



Why Mind?

Consider the historical milestones that shaped modern computing. On a frosty February 14th in 1946, ENIAC, the world's inaugural computer, came into being in Pennsylvania, USA. A massive machine weighing over 30 tons, it marked a pivotal moment in the digital revolution.

Fast-forward to a warm August 12th in 1981, IBM introduced the IBM 5150, the first personal computer, heralding a new era of personalized computing.



Throughout the years, computing evolved into various forms, from desktops and mini PCs to laptops and tablets, each meticulously tailored to specific use cases for optimal user experience.

However, the challenge lies in the transition between these computing scenarios. The need to effortlessly switch between a desktop setup in the office, a portable solution on the move, and a seamless transition to conference rooms remains unmet.

This is where Khadas stands apart as the trailblazer.



* The iF Design Award acknowledges Mind Family Products (including Mind, Mind Dock, Mind Graphics).

* To learn about the story of Mind, please visit <https://www.khadas.com/post/why-khadas-mind>.

Mind

Portable Workstation



Ultra-Compact Design

Aluminium Alloy Exterior




Exceptional Performance

Up to Intel® Core™ Ultra 7 processor



Mind Link High-speed Expansion Interface


Switch Between Different Usage Modes Without Shutting Down



Build Your Dream Modular PC




Mind is equipped with a 5.55Wh built-in battery, undocks and redocks with various modules without needing to shut down or save your files. After reconnecting to power or a new module, the entire software environment retains the previous state. The 5.55Wh built-in battery provides up to 25 hours of standby time, so that your work and inspiration are always available. Different scenarios, same experience.



One Device Does It All

Equipped with the Mind Link 256 GT/s high-speed interface, Mind can quickly dock with expansion modules, allowing it to adapt to your unique usage needs



Uninterrupted Mobility

Built-in 5.55Wh battery
Automatic sleep upon power disconnection
25-hour standby
2-second wake-up, instantly ready



Ultra Thin & Ultra Light

Weighs 435 grams, as thin as 2 cm
Palm-sized, easily fits in your pocket

Mind Interfaces

Mind is equipped with six interfaces on its compact body, meeting basic input and output needs. The HDMI interface supports 4K (60Hz) display, the Thunderbolt 4 and USB4 interfaces support 8K (60Hz) as well as 4K (240Hz) display, and additional interfaces can be added through Mind Link.



* These are the specs for Mind 2 (Intel® Core™ Ultra). The USB-C interfaces differ for Mind (13th Gen Intel® Core™).

Compact Body

Using an ingenious design, Mind integrates all essential components such as the motherboard, CPU, memory, built-in standby battery, SSD and heatsink into a compact unibody aluminum alloy case that is no larger than a quarter of an A4 sheet of paper. Weighing only 435 grams, and just 146 × 105 × 20 mm in size, it is only 1/48th the volume of traditional PCs. This means you can easily place Khadas Mind into a bag or large pocket, allowing for unprecedented mobility and freedom.



* In the actual product, the heatsink will be black in color due to the coating and curing process.

Mind Specs



Mind (13th Gen Intel® Core™)

i7, 32GB Version

Processor

13th Gen Intel® Core™ i7-1360P processor
5.0GHz turbo frequency
12 cores, 16 threads
18MB cache

Memory

32GB LPDDR5 memory
Maximum frequency: 5200MHz

Storage

1TB PCIe 4.0 M.2 2230 SSD
Expandable: PCIe 3.0 M.2 2230 SSD × 1

I/O Ports

Full-featured USB-C × 2
HDMI 2.0 (18Gbps) × 1
USB-A 3.2 Gen2 (10Gbps) × 2

Graphics

Intel Iris® Xe Graphics
1.5GHz dynamic frequency

Display Output

HDMI 2.0: up to 4K (60Hz)
Full-featured USB-C: up to 8K (60Hz),
5K (72Hz) or 4K (240Hz)

Mind Link

PCIe 4.0 x4 bandwidth, Max speed of 64 GT/s
Supports USB 3.2 Gen2, HDMI 2.1, 10A input power

Size & Weight

146 × 105 × 20 mm
435 g

i5, 16GB Version

Processor

13th Gen Intel® Core™ i5-1340P processor
4.6GHz turbo frequency
12 cores, 16 threads
12MB cache

Memory

16GB LPDDR5 memory
Maximum frequency: 5200MHz

Storage

512GB PCIe 4.0 M.2 2230 SSD
Expandable: PCIe 3.0 M.2 2230 SSD × 1

I/O Ports

Full-featured USB-C × 2
HDMI 2.0 (18Gbps) × 1
USB-A 3.2 Gen2 (10Gbps) × 2

Graphics

Intel Iris® Xe Graphics
1.45GHz dynamic frequency

Display Output

HDMI 2.0: up to 4K (60Hz)
Full-featured USB-C: up to 8K (60Hz),
5K (72Hz) or 4K (240Hz)

Mind Link

PCIe 4.0 x4 bandwidth, Max speed of 64 GT/s
Supports USB 3.2 Gen2, HDMI 2.1, 10A input power

Size & Weight

146 × 105 × 20 mm
435 g

Mind 2 Specs



Mind 2 (Intel® Core™ Ultra)

Ultra 7, 64GB / 32GB Version

Processor

Intel® Core™ Ultra 7 155H processor
4.8GHz turbo frequency
16 cores, 22 threads
24MB cache

Memory

64GB LPDDR5X or 32GB LPDDR5 memory
Maximum frequency: 7467MHz or 6400MHz

Storage

2TB or 1TB PCIe 4.0 M.2 2230 SSD
Expandable: PCIe 4.0 M.2 2230 SSD × 1

I/O Ports

Thunderbolt 4 × 1
USB4 × 1
HDMI 2.1 TMDS (18Gbps) × 1
USB-A 3.2 Gen2 (10Gbps) × 2

Graphics

Intel Arc™ GPU
2.25GHz dynamic frequency

Display Output

HDMI 2.1 TMDS: up to 4K (60Hz)
Thunderbolt 4 or USB4: up to 8K (60Hz), 5K
(72Hz) or 4K (240Hz)

Mind Link

PCIe 5.0 x8 bandwidth, Max speed of 256 GT/s
Supports USB 3.2 Gen2, HDMI 2.1, 10A input power

Size & Weight

146 × 105 × 20 mm
435 g

Ultra 5, 16GB Version

Processor

Intel® Core™ Ultra 5 125H processor
4.5GHz turbo frequency
14 cores, 18 threads
18MB cache

Memory

16GB LPDDR5 memory
Maximum frequency: 6400MHz

Storage

512GB PCIe 4.0 M.2 2230 SSD
Expandable: PCIe 4.0 M.2 2230 SSD × 1

I/O Ports

Thunderbolt 4 × 1
USB4 × 1
HDMI 2.1 TMDS (18Gbps) × 1
USB-A 3.2 Gen2 (10Gbps) × 2

Graphics

Intel Arc™ GPU
2.2GHz dynamic frequency

Display Output

HDMI 2.1 TMDS: up to 4K (60Hz)
Thunderbolt 4 or USB4: up to 8K (60Hz), 5K
(72Hz) or 4K (240Hz)


Mind Link

PCIe 5.0 x8 bandwidth, Max speed of 256 GT/s
Supports USB 3.2 Gen2, HDMI 2.1, 10A input power

Size & Weight

146 × 105 × 20 mm
435 g

Mind Link



The patented Mind Link interface designed by Khadas, allows Mind to adapt to a range of computing scenarios by combining with various expansion modules. With Mind as the foundation, Khadas continues to expand the Mind Family by designing new expansion modules based on user needs. Thanks to the magnetically-aligned Mind Link interface, you can seamlessly switch between expansion modules without saving your work or shutting down your device. It's easy to carry and offers one-click docking.

Mind Graphics



Mind Dock



Mind xPlay




Mind Graphics

eGPU Module with I/O Expansion & Speakers




Unleash Your GPU's Potential

Mind Link: 128 GT/s transmission speed
Four times the bandwidth of Thunderbolt 4 to fully realize the potential of your GPU



Cutting-Edge Architecture

NVIDIA® GeForce RTX™ 4060 Ti desktop GPU
Ada Lovelace architecture
16GB / 8GB GDDR6 VRAM




Multi-Device Compatibility

Universal USB-C interface, supporting Thunderbolt 4/3

Mind Graphics Interfaces

Housing the NVIDIA GeForce RTX 4060 Ti desktop-class dedicated graphics card, Mind Graphics seamlessly accelerates your 3D rendering and gaming tasks. Moreover, it can provide GPU acceleration to other laptop devices via USB-C connectivity. Mind Graphics also includes an array of built-in expansion interfaces, thus comprehensively meeting all your I/O needs. The built-in high-quality speakers bring delightful rhythms to your life beyond work.



Mind Graphics Specs



GPU

NVIDIA GeForce® RTX™ 4060 Ti (Desktop GPU)
Architecture: Ada Lovelace
GPU Max Power: 160W / 165W

VRAM

8GB / 16GB GDDR6

Power

PSU Max Power: 300W
PSU Type: Integrated GaN

Audio & Buttons

Far-field Microphone Array
Dual Speaker System
Fingerprint Reader (Press to mute)
Volume Button

I/O Interfaces

USB-C × 1
* When not connected to Mind, it supports Thunderbolt 4/3 graphics acceleration and PD charging.
USB 3.2 Gen2 (10 Gbps) × 3
HDMI 2.1a × 2
DisplayPort 1.4a × 1
2.5 Gbps Ethernet × 1
SD 4.0 Card Reader (200 MB/s) × 1
3.5mm Headphone Jack × 1

Supports 3rd Party Devices

Supports Thunderbolt 4/3 connection
Compatible with laptops and desktops
Enjoy accelerated graphics & Recharge your device

Size & Weight

199 mm × 133 mm × 100 mm
2.7 kg

Mind Dock

All-in-one Expansion Dock



Fingerprint Recognition

Unlock in milliseconds, private and convenient



Stereo Speakers

Rotate-push volume knob
Endorsed by music enthusiasts




Rich I/O Expansion

Up to 9 interfaces for expansion needs
4K x 4 Display
2.5 Gbps Ethernet

Mind Dock Interfaces

Mind Dock features up to 9 additional I/O interfaces, making multi-display setups and SD card reading convenient. With built-in stereo speakers, it caters to your audio entertainment needs. The millisecond-speed fingerprint reader supports fingerprint recognition across all Mind devices, ensuring comprehensive privacy and security protection.



Mind Dock Specs



Audio

3.5mm Headphone Jack (Mic supported)
Stereo Speakers

Lights & Button

Indicator Light × 1 (Breathing for disconnection)
Volume Knob × 1
Fingerprint Reader × 1



Size & Weight

Size: 188 × 126 × 21.3 mm
Weight: 465 g

I/O Interfaces

USB-C (100W Max Charging) × 1
USB-A 3.2 Gen1 (5Gbps) × 3
HDMI 2.0 (18Gbps) × 2
Ethernet (2.5Gbps) × 1
SD 4.0 Card Reader (200MB/s) × 1

Mind xPlay

Portable Display



* Mind xPlay and more Mind Family expansion modules are currently in development. Please stay tuned.


Mind xPlay

The **Mind xPlay**—a portable display with a built-in battery—transforms your Mind into a portable tablet, granting you round-the-clock online access. Take back your freedom and embrace an on-the-go lifestyle.



Mind Maker Kit

A Creativity Platform for Developers



Powered by the Intel® Lunar Lake platform, this tool is designed to serve as an essential asset for Creatives. Its powerful computing performance helps users tackle complex tasks with ease. With a compact 0.75L volume, it packs exceptional performance into a small form factor, ensuring comfort during development work. Compatible with the extensive range of Mind family expansion modules, it adapts to various usage scenarios, offering multi-screen experiences, high-performance GPU support, and portability—keeping your inspiration alive.

Intel LNL Platform

Exceptional computing power, tailor-made for Developers and Makers

Highly Expandable

Utilize Mind Family expansion modules through the Mind Link interface to adapt to various usage scenarios

Community Support


Comprehensive developer documentation and community support
Optimized for stability and reliability, specifically tailored for developers

Maker Series

SBCs Designed for Developers




Edge Series



Edge2

Rockchip RK3588S


- CPU: 2.25GHz Quad Core ARM Cortex-A76 + 1.8GHz Quad Core Cortex-A55
- GPU: ARM Mali-G610 MP4 GPU up to 1GHz
- NPU: Build-in 6 TOPS Performance NPU
- Decoder & Encoder: 4K@60fps AV1, 8K@60fps H.265 Decoding 8K@30fps H.264/H.265 Encoding HDR, HDR10, HLG Video Processing
- Memory: 8GB/16GB LPDDR4X, 32GB/64GB eMMC
- Wireless: 802.11a/b/g/n/ac/ax 2T2R MIMO Wi-Fi 6, Bluetooth 5.0
- Full-featured Type-C Port, MIPI-CSI x3, up to 48MP, MIPI-DSI x2, up to 4K@60Hz
<https://www.khadas.com/edge2>



Edge-V

Rockchip RK3399

- CPU: Dual Core Cortex A72 up to 1.8GHz + Quad Core Cortex A53 up to 1.5GHz
- GPU: Mali T864 GPU
- Decoder & Encoder: 4K VP9 and 4K 10bits H265/H264 Video Decoders, up to 60fps 1080P H.264 and VP8 Video Encoders
- Memory: 2GB/4GB LPDDR4, 16GB/32GB/128GB eMMC
- Wireless: 802.11a/b/g/n/ac 2T2R MIMO Wi-Fi 5, Bluetooth 5.0
- MIPI CSI x 2, Full RK3399 I/O, Gyroscope, up to 3 independent Displays, Li-Po Battery
<https://www.khadas.com/edge-v>




Edge

Rockchip RK3399

- CPU: Dual Core Cortex A72 up to 1.8GHz + Quad Core Cortex A53 up to 1.5GHz
- GPU: Mali T864 GPU
- Decoder & Encoder: 4K VP9 and 4K 10bits H265/H264 Video Decoders, up to 60fps 1080P H.264 and VP8 Video Encoders
- Memory: up to 4GB LPDDR4, up to 128GB eMMC
- Wireless: 802.11a/b/g/n/ac 2T2R MIMO Wi-Fi 5, Bluetooth 5.0
- The Bare-Board Edge is Extremely Thin, Measuring at Just 5.7mm, Li-Po Battery
<https://www.khadas.com/edge1>


VIM Series



VIM4

Amlogic A311D2 Supports 4K UI and HDMI-in


- CPU: 2.2GHz Quad core ARM Cortex-A73 and 2.0GHz Quad Core Cortex-A53 CPU
- GPU: ARM Mali-G52 MP8(8EE) GPU up to 800MHz
- NPU: Built-in 3.2 TOPS Performance
- Decoder & Encoder: 8K 24fps Decoder & Low Latency 4K H.264/H.265 50fps Encoder Support, Multi-Video Decoder Support
- Memory: 8GB LPDDR4/X RAM, 32GB eMMC
- Wireless: 802.11a/b/g/n/ac/ax 2T2R MIMO Wi-Fi 6 Bluetooth 5.1
- Gigabit Ethernet with WoL Support, Infrared, Quad Display Interface
<https://www.khadas.com/vim4>



VIM3

Amlogic A311D


- CPU: 2.2GHz Quad core ARM Cortex-A73 and 1.8GHz Quad Core Cortex-A53
- GPU: ARM G52 MP4 GPU up to 800MHz
- NPU: Built-in 5 TOPS Performance NPU
- Decoder & Encoder: HW UHD 4K H.265 75fps 10-bit Video Decoder & Low Latency 1080p H.265/H.264 60fps Encoder, Support Multi-Video Decoder
- Memory: 2G/4GB LPDDR4/X RAM, 16/32GB eMMC
- Wireless: 802.11a/b/g/n/ac 2T2R MIMO Wi-Fi 5, Bluetooth 5.0
- Gigabit Ethernet with WoL support, Dual Camera Dual Display Support
<https://www.khadas.com/vim3>



VIM3L

Amlogic S905D3


- CPU: 1.9GHz Quad Core ARM Cortex-A55
- GPU: ARM G31 MP2 GPU up to 800MHz
- NPU: Built-in 1.2 TOPS Performance
- Decoder & Encoder: HW UHD 4K H.265 75fps 10-bit Video Decoder & Low Latency 1080p H.265/H.264 60fps Encoder, Support Multi-Video Decoder
- Memory: 2GB LPDDR4/X RAM, 16GB eMMC
- Wireless: 802.11a/b/g/n/ac 2T2R MIMO Wi-Fi 5, Bluetooth 5.0
- Gigabit Ethernet with WoL support, Infrared, OS Freedom
<https://www.khadas.com/vim3l>



VIM2

Amlogic S912


- CPU: 1.5 GHz 64Bit Octa Core ARM Cortex-A53
- GPU: ARM Mali-T820MP3 GPU up to 750MHz
- Decoder & Encoder: HW UHD H.265/VP9 60fps 10bit Video Decoder Low Latency 1080p@60fps H.265/VP9 Encoder
- Memory: 2GB/3GB DDR4 RAM, 16GB/32GB/64GB eMMC
- Wireless: 802.11a/b/g/n/ac 2T2R MIMO Wi-Fi 5, Bluetooth 5.0
- USB Type-C for power, USB 2.0 OTG Support, HDMI 2.0a, Gigabit Ethernet with WoL
<https://www.khadas.com/vim2>



VIM1S

Amlogic S905Y4

- CPU: 2.0GHz Quad Core Cortex-A35
- GPU: ARM Mali-G31 MP2 GPU up to 850MHz
- Decoder: 4K@60fps AV1, VP9, H.265 Decoding Support Multi-video Decoder
- Memory: 2GB LPDDR4 RAM, 16GB eMMC
- Wireless: 802.11 a/b/g/ac, Bluetooth 5.0
- Megabit Ethernet, Infrared, Secondary Power Input
<https://www.khadas.com/vim1s>



VIM1

Amlogic S905X


- CPU: 1.5GHz 64Bit Quad Core ARM Cortex-A53
- GPU: ARM Mali-450 GPU up to 750MHz
- Decoder & Encoder: HW UHD H.265/VP9 60fps 10bit Video Decoder, Low Latency 1080p@60fps H.265/VP9 Encoder
- Memory: 2GB DDR3 RAM, 8GB/16GB eMMC
- Wireless: 802.11a/b/g or 802.11b/g/n/ac Wi-Fi, Bluetooth 4.2
- USB Type-C for Power, USB 2.0 OTG Support, HDMI 2.0b, Megabit Ethernet, Infrared
<https://www.khadas.com/vim1>

Add-ons



Edge2's Active Cooling Kit

Edge Heatsink + 3705 Cooling Fan



VIM Heatsink

Improved heatsink for all VIM Series and Edge-V SBCs



Passive VIM Heatsink

Designed to work with VIM1/2/3/3L and Edge-V




DIY Case

SBC Makeovers: The coolest DIY Case for coders



DIY Case 2

Armor up your Khadas VIM Series SBCs



Edge2 Station

Expand more rich interfaces




3705 Cooling Fan

High airflow & Super quiet



5G NR Module

Applicable to the M2X WWAN Extension board



TS050 Touch Screen

Combined MIPI-DSI + TP FPC Cable



IMX214 Camera

13 megapixel, with MIPI-CSI flexible FPC cable




IMX415 Camera

8 megapixel, auto focus, HDR support




OS08A10 Camera

8MP HDR Camera, with MIPI-CSI flexible FPC cable




Edge2 IO Module

A GPIO break-out board for the Edge2



M2X Extension

Ultra-thin version of this extension board



M2X WWAN Extension

4G/5G LTE module to your VIM4



65W GaN Quick Adapter

Compact body with USB-C power delivery



RTC Battery

Energizer CR1220 battery, with 3M adhesive pad



VIN to VIN Cable

Convey electrical power from M2X Extension Board to VIM3/3L SBCs

Tone Series

Upgrade Your System
to High-resolution Audio




Tone2 Pro

Mini Desktop DAC & Headphone Amplifier



- ESS ES9038Q2M DAC, DSD512, PCM768 support
- 16-core XMOS XU216, full MQA decoding support
- USB-C x2 ports, one for data, one for linear power supplies
- Balanced RCA line-out backward-compatible with single-end cables
- 3.5mm/4.4mm headphone jacks
- Extreme performance: THD+N ~0.000126% (-118dB)
- Color: **Black / Red / Blue**

* To learn more about Tone2 Pro, please visit <https://www.khadas.com/tone2pro>.



Tone2

Hi-Fi Mini Desktop DAC



- ESS ES9038Q2M Chipsets - XMOS XU208
- High Performance - Up to 32bit 768KHz sampling rate, bit-perfect DSD512, and -118dB THD+N (line-out)
- Balanced RCA - Next-generation "balanced RCA line-out" with 3-pin output, sets a new interface standard for the Hi-Fi industry
- Support Bluetooth wireless expansion, compatible with Khadas BT Magic Bluetooth module
- Color: **Black / Haze Blue**



BT Magic

External Bluetooth Module Wireless in Seconds

- Qualcomm QCC5125, Bluetooth 5.1
- Support SBC, AAC, aptX/aptX-LL/aptX-HD, LDAC Bluetooth audio format
- Hi-Res Bluetooth Audio
- RGB LED lights indicate the use status in different colors
- Stable transmission at a distance of 20 meters (data was obtained from Khadas laboratory tests; actual connection range depends on your environment)
- Compatibility: **Tone2 Pro/Tone2/Tone2 Maker Kit**
<https://www.khadas.com/product-page/bt-magic>



T2V Extension

Supports USB data transmission and power delivery

- USB data transmission
- Power delivery (Rated DC 3.3V)
- Stackable Structure, VIM + T2V + Tone2 Maker Kit
- Dimensions: 78.55 mm (l) × 37.76 mm (w) × 0.80mm (h) /2.90 mm (with components)
- Compatibility: **VIM3/VIM3L/VIM4 to Tone2 Maker Kit**
<https://www.khadas.com/product-page/t2v-extension>



Balanced RCA Connectors

Customized 3-pin Balanced RCA Jack & Plug

- Backwards-compatible with standard RCA cables and plugs
- Incorporates 3-pins, additional pin for inverse audio signal
- Compact size, allows for integration into mobile form-factors
- Patent Number: CN211265767U
- Color: **White/Red/Orange**
<https://www.khadas.com/balanced-rca>



Bal-RCA to XLR-3 Cable

Applicable to Tone Series Product

- 0.2 or 1.0 meter in length
- 6N OCC single crystal copper
- PVC insulation for each conductor
- Oxygen-Free Copper, Braided
- Neutrik XLR-3 Male (NC3MXX-HE, Gold Contacts)
- Khadas Balanced RCA Plug (KRP-B01)
- Compatibility: **Tone2 Pro/Tone2/Tone2 Maker Kit**
<https://www.khadas.com/balanced-rca>

Tea Series

Portable Magnetic DAC & Headphone Amplifier



Tea Pro

Magnetic USB Bluetooth Headphone Amplifier


XMOS®
XMOS XU316-1024

ESS
ES9039Q2M

Qualcomm
QCC5181 Bluetooth chip

DSD
Direct Stream Digital
DAD 512 (Native)

- Multi-device compatible: iOS, Android, iPadOS, Windows and macOS
- Bit-perfect audio via USB-C wired connection
- High-resolution Bluetooth audio with LDAC, aptX HD and aptX Lossless
- Inbuilt microphone for making and receiving calls over Bluetooth
- 2100mAh battery for 8 hours of continuous music over Bluetooth
- 0.95-inch AMOLED display with 4 function buttons, providing clear and user-friendly UI/UX
- DSD 512, PCM 768kHz, and lossless audio from your smartphone
- THD+N: -120dB



Search for accessories that have completed MFi certification. Once an accessory has completed MFi certification requirements and is reported to Apple as sold or distributed, it will be searchable in our public database of authorized Lightning, headset, charging, iAP-enabled, and Find My network-enabled accessories.

Apple MFi Certification: <https://mfi.apple.com/account/accessory-search>



Tea

Portable Magnetic DAC & Headphone Amplifier

MQA MQA Renderer
ESS ES9281AC Pro
Qualcomm QCC5125 Bluetooth chip
Lossless Apple Lossless Audio



- Compatible with Apple MagSafe (iPhone 12 or newer)
 - Bit-perfect audio via USB-C wired connection
 - High-resolution Bluetooth audio with LDAC and aptX HD
 - Inbuilt microphone for making and receiving calls over Bluetooth
 - MQA renderer, DSD256, PCM384, and lossless audio from your smartphone
 - 1160mAh lithium polymer battery for 8 hours of continuous music
 - THD+N: -109dB • Color: **Blue / Gray**
- * To learn more about Tea, please visit <https://www.khadas.com/tea>.



10 cm USB-C Cable

Specifically designed for Khadas Tea

- 10 cm in length
- Both cables support bit-perfect streaming of digital audio data
- N.B.: Only the 10 cm USB-C to C cable supports USB-C power delivery, the 10 cm USB-C to Lightning audio cable does not.
- Compatibility: **Tea**
<https://www.khadas.com/product-page/khadas-tea-10cm-usb-c-audio-cable>



USB-C to Lightning Cable


Supporting audio-data transmission

- 1 meter in length
- Smooth, white exterior
- Sample rate up to 24bit 96KHz
- Apple MFi authorized C78-USBH lightning connector
- Provides audio-data link between Tone2 Pro and iPhone
- Compatibility: **Tone2 Pro/Tea/iPhone, iPads (with Lightning)**
<https://www.khadas.com/product-page/usb-c-to-lightning-cable>

Khadas Software

Khadas OOWOW


OOWOW is an embedded system pre-installed on the KHADAS SBCs. Through OOWOW, users can quickly download and install their favorite OSes online within 2-3 minutes, and perform all maintenance functions directly from the SBC device itself. OOWOW provides SBCs with a universal operating system and device configuration options right out of the box.



* To learn more about OOWOW, please visit <https://docs.khadas.com/software/oowow/start>.

Khadas Fenix


Khadas Fenix is a one-stop script library for building Ubuntu/Debian systems. Users can quickly build their own systems based on Fenix. Through Khadas Fenix, users can customize their OS development environment, and learn how to build their own systems.



* To learn more about Fenix, please visit <https://github.com/khadas/fenix>.

Khadas Community

We have a vibrant community, including a forum (forum.khadas.com), social media, GitHub and other platforms. Here, you can exchange experiences, share projects, ask questions, get positive feedback, and collaborate with developers and enthusiasts around the world.



Mind Reviews

ETA PRIME




This Next-Gen Modular Mini PC Gets A Major Edge With An RTX GPU Upgrade Module

Linus Tech Tips



Everyone Who Tried This Has FAILED – Khadas Mind Modular PC

XDA-Developers



Khadas Mind review: Redefining the mini PC



Created by Ella



The Most Interesting Mini PC! | Khadas Mind Modular Computer

Our Partners

Khadas focuses on generating long-term value. We cherish every industry partner and every supplier. To ensure that all our suppliers have reasonable profit margins, we place more attention on our supplier's quality monitoring system and service quality than on price.

 Fuchsia	android 	 OpenCV	intel®
 UNIVERSAL SERIAL BUS	HDMI™ HIGH-DEFINITION MULTIMEDIA INTERFACE		美团 美团
armbian	 瑞芯微电子		Made for iPhone iPad

Our Team

Khadas comprises a diverse global team, including individuals from various countries such as China, Singapore, Russia, Pakistan, and many more. Our shared vision to create exceptional products is what unites us. This enthusiasm binds us together, enabling us to overcome any obstacles and stand out amidst adversity. This is our Khadas family!



Annual Meeting

Mid-year Team Building

Basketball Game Activities

Birthday Party Activities

Travel Activities

**WE SION
YOU US WE ALL**

KHADAS